

	S ar h Text	DBs
1	"r cipi nt l ct d m ssaging"	USPAT; US-PGPUB; EPO; JP ; DERWENT; IBM_TDB
2	recipient adj elected adj messaging	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	((mail post posting postal postage frank franking) same (carrier USPS UPS Fedex)) and address and name and (e-mail (electronic adj2 mail)) and (scan scanning scanned scanner) and ((bar adj code) barcode) and (fax facsimile phone telephone)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	((mail post posting postal postage frank franking) same (carrier USPS UPS Fedex)) and address and name and (e-mail (electronic adj2 mail)) and (scan scanning scanned scanner) and ((bar adj code) barcode) and (fax facsimile phone telephone)	USPAT; US-PGPUB
5	((mail post posting postal postage frank franking) same (carrier USPS UPS Fedex)) and address and name and (e-mail (electronic adj2 mail)) and (scan scanning scanned scanner) and ((bar adj code) barcode)	EPO; JPO; DERWENT; IBM_TDB
6	((mail post posting postal postage frank franking) same (carrier USPS UPS Fedex)) and (e-mail (electronic adj2 mail)) and (scan scanning scann d scann r) and ((bar adj c d) barc d)	EPO; JPO; DERWENT; IBM_TDB

	S arch T xt	DB
7	((mail p st p sting p stal p stag frank franking) sam (carri r USPS UPS F d x)) and (e-mail (electronic adj2 mail))	EPO; JP ; DERWENT; IBM_TDB
8	((((mail post posting postal postage frank franking) same (carrier USPS UPS Fedex)) and (e-mail (electronic adj2 mail))) and ((bar adj code) barcode)	EPO; JPO; DERWENT; IBM_TDB
9	((((mail post posting postal postage frank franking) same (carrier USPS UPS Fedex)) and (e-mail (electronic adj2 mail))) and (scan scanning scanned scanner)	EPO; JPO; DERWENT; IBM_TDB
10	((mail post posting postal postage frank franking) same (carrier USPS UPS Fedex)) and (e-mail (electronic adj2 mail)) and address	EPO; JPO; DERWENT; IBM_TDB
11	((((mail post posting postal postage frank franking) same (carrier USPS UPS Fedex)) and (e-mail (electronic adj2 mail)) and address) and name	EPO; JPO; DERWENT; IBM_TDB
12	(((((mail post posting postal postage frank franking) same (carrier USPS UPS Fedex)) and (e-mail (electronic adj2 mail)) and address) and name) not ((((mail post posting postal postage frank franking) same (carrier USPS UPS Fedex)) and (e-mail (electronic adj2 mail))) and (scan scanning scanned scann r))	EPO; JPO; DERWENT; IBM_TDB

	S arch T xt	DB
13	(((mail p st p sting p stal p stag frank franking) sam (carri r USPS UPS F d x)) and (e-mail (electronic adj2 mail)) and address) not (((((mail post posting postal postage frank franking) same (carrier USPS UPS Fedex)) and (e-mail (electronic adj2 mail)) and address) and name) not (((mail post posting postal postage frank franking) same (carrier USPS UPS Fedex)) and (e-mail (electronic adj2 mail))) and (scan scanning scanned scanner)))	EPO; JPO; DERWENT; IBM_TDB
14	(((mail post posting postal postage frank franking) same (carrier USPS UPS Fedex)) and (e-mail (electronic adj2 mail)) and address) not (((((mail post posting postal postage frank franking) same (carrier USPS UPS Fedex)) and (e-mail (electronic adj2 mail)) and address) and name) not (((mail post posting postal postage frank franking) same (carrier USPS UPS Fedex)) and (e-mail (electronic adj2 mail))) and (scan scanning scanned scanner)))) and (data database)	EPO; JPO; DERWENT; IBM_TDB

	S arch Text	DB
15	<p>(((mail p st p sting p stal p stag frank franking) sam (carri r USPS UPS F d x)) and (e-mail (electronic adj2 mail)) and address) not (((((mail post posting postal postage frank franking) same (carrier USPS UPS Fedex)) and (e-mail (electronic adj2 mail)) and address) and name) not (((mail post posting postal postage frank franking) same (carrier USPS UPS Fedex)) and (e-mail (electronic adj2 mail))) and (scan scanning scanned scanner)))) and (data (((mail post posting postal postage frank franking) same (carrier USPS UPS Fedex)) and (e-mail (electronic adj2 mail)) and address) not 16atabase)</p>	<p>EPO; JPO; DERWENT; IBM_TDB</p>

	S arch T xt	DB
16	<p>(((mail p st p sting p stal p stag frank franking) sam (carri r USPS UPS F d x)) and (e-mail (electronic adj2 mail)) and address) not (((((mail post posting postal postage frank franking) same (carrier USPS UPS Fedex)) and (e-mail (electronic adj2 mail)) and address) not (((((mail post posting postal postage frank franking) same (carrier USPS UPS Fedex)) and (e-mail (electronic adj2 mail)) and address) and name) not (((mail post posting postal postage frank franking) same (carrier USPS UPS Fedex)) and (e-mail (electronic adj2 mail))) and (scan scanning scanned scanner)))) and (data database))</p>	<p>EPO; JPO; DERWENT; IBM_TDB</p>

	S arch T xt	DB
17	<p>(((mail p st p sting p stal p stag frank franking) sam (carri r USPS UPS F d x)) and (e-mail (electronic adj2 mail)) and address) not (((((mail post posting postal postage frank franking) same (carrier USPS UPS Fedex)) and (e-mail (electronic adj2 mail)) and address) and name) not (((mail post posting postal postage frank franking) same (carrier USPS UPS Fedex)) and (e-mail (electronic adj2 mail))) and (scan scanning scanned scanner)))) not (((((mail post posting postal postage frank franking) same (carrier USPS UPS Fedex)) and (e-mail (electronic adj2 mail)) and address) not (((((mail post posting postal postage frank franking) same (carrier USPS UPS Fedex)) and (e-mail (electronic adj2 mail)) and address) and name) not (((mail post posting postal postage frank franking) same (carrier USPS UPS Fedex)) and (e-mail (electronic adj2 mail))) and (scan scanning scanned scanner)))) and (data database))</p>	<p>EPO; JPO; DERWENT; IBM_TDB</p>

	S arch T xt	DBs
18	(((mail p st p sting p stal p stag frank franking) sam (carri r USPS UPS F d x)) and address and name and (e-mail (electronic adj2 mail)) and (scan scanning scanned scanner) and ((bar adj code) barcode) and (fax facsimile phone telephone)) and (data database)) and (deliver delivering delivery)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	(((mail post posting postal postage frank franking) same (carrier USPS UPS Fedex)) and address and name and (e-mail (electronic adj2 mail)) and (scan scanning scanned scanner) and ((bar adj code) barcode) and (fax facsimile phone telephone)) and (data database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

DERWENT-ACC-NO: 2002-140015
DERWENT-WEEK: 200235
COPYRIGHT 1999 DERWENT INFORMATION LTD

**TITLE: Method of addressing postal or electronic mail, uses
number in Arabic
numerals uniquely associated with address written on item,
automatically reads
the number and looks up a database to extract the full
alphanumeric address**

INVENTOR: MAAREK, E

PATENT-ASSIGNEE: MAAREK E[MAARI]

PRIORITY-DATA: 2000FR-0008361 (June 28, 2000)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES
MAIN-IPC			
AU 200170690 A	January 8, 2002	N/A	000
G06F 017/60			
WO 200201434	January 3, 2002	F	037
G06F 017/60			
A1	January 4, 2002	N/A	000
G06F			
017/00			
FR 2811100 A1			

**DESIGNATED-STATES: AE AG AL AM AT AU AZ BA BB BG BR BY
BZ CA CH CN CO CR CU CZ D
E DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP
KE KG KP KR KZ LC LK
LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PL PT RO**

ADVANTAGE - Reduced error in addressing of mail using coded number that is

easily associated with an address using existing information sources.

DESCRIPTION OF DRAWING(S) - The drawing shows a block diagram of the method.

Optical reader 2

Database 5

Extracted address 7

Printing of address 9

CHOSEN-DRAWING: Dwg.4/6

TITLE-TERMS:

**METHOD ADDRESS POSTAL ELECTRONIC MAIL NUMBER ARABIC
NUMBER UNIQUE ASSOCIATE
ADDRESS WRITING ITEM AUTOMATIC READ NUMBER UP
DATABASE EXTRACT FULL
ALPHANUMERIC ADDRESS**

DERWENT-CLASS: T01 T05

**EPI-CODES: T01-C05A; T01-J05A2B; T01-J05B4P; T01-J11A;
T01-N01C; T05-K02;**

SECONDARY-ACC-NO:

Non-CPI Secondary Accession Numbers: N2002-105510



Creation date: 04-30-2004
Indexing Officer: LCHEO - LEE CHEO
Team: OIPEBackFileIndexing
Dossier: 09818792

Legal Date: 10-08-2002

No.	Dccode	Number of pages
1	CTNF	14
2	892	1
3	1449	3
4	FOR	22
5	FOR	38
6	FOR	29
7	FOR	13
8	NPL	2

Total number of pages: 122

Remarks:

Order of re-scan issued on